

DAFTAR PUSTAKA

- Abu-Zahra, M., Jansens, P., Knudsen, J., & Goetheer, E. (2012). *Experimental verification of Equilibrium-Stage and Rate-Based Simulations*. <https://consensus.app/papers/experimental-verification-of-equilibriumstage-and-abu-zahra-jansens/b5664d129aba59bdb123bbe8433f87e6/>
- Aghaie, M., Rezaei, N., & Zendehboudi, S. (2018). A systematic review on CO₂ capture with ionic liquids: Current status and future prospects. *Renewable and Sustainable Energy Reviews*. <https://doi.org/10.1016/J.RSER.2018.07.004>
- Anwer, S., Alkhatib, I., Salih, H., Vega, L., & AlNashef, I. (2024). Investigating the role of water on CO₂ capture by amine-based deep eutectic solvents through a combined experimental-molecular modeling approach. *Separation and Purification Technology*. <https://doi.org/10.1016/j.seppur.2023.125350>
- Asgharian, H., Iov, F., Araya, S. S., Pedersen, T., Nielsen, M., Baniasadi, E., & Liso, V. (2023). A Review on Process Modeling and Simulation of Cryogenic Carbon Capture for Post-Combustion Treatment. *Energies*. <https://doi.org/10.3390/en16041855>
- Astarita, G., & Savage, D. (1992). Gas absorption and desorption with reversible instantaneous chemical reaction. *Chemical Engineering Science*, 35, 1755–1764. [https://doi.org/10.1016/0009-2509\(80\)85011-1](https://doi.org/10.1016/0009-2509(80)85011-1)
- Atlaskina, M., Kazarina, O., Petukhov, A., Atlaskin, A., Tsivkovsky, N., Tiuleanu, P., Malysheva, Y., Lin, H., Zhong, G.-J., Lukoyanov, A., Vorotyntsev, A., & Vorotyntsev, I. (2023). Amino acid-based ionic liquid as a promising CO₂ sorption increasing agent by aqueous MDEA solution. *Journal of Molecular Liquids*. <https://doi.org/10.1016/j.molliq.2023.123635>
- Baskaran, D., Saravanan, P., Nagarajan, L., & Byun, H. (2024). An overview of technologies for capturing, storing, and utilizing carbon dioxide: Technology readiness, large-scale demonstration, and cost. *Chemical Engineering Journal*. <https://doi.org/10.1016/j.cej.2024.151998>
- Borhani, T., Akbari, V., Hamid, M., & Manan, Z. (2015). Rate-based simulation and comparison of various promoters for CO₂ capture in industrial DEA-promoted potassium carbonate absorption unit. *Journal of Industrial and Engineering Chemistry*, 22, 306–316. <https://doi.org/10.1016/J.JIEC.2014.07.024>
- Chao, C., Deng, Y., Dewil, R., Baeyens, J., & Fan, X. (2020). Post-combustion carbon capture. *Renewable and Sustainable Energy Reviews*. <https://doi.org/10.1016/j.rser.2020.110490>
- Cottrell, A. J., McGregor, J. M., Jansen, J., Artanto, Y., Dave, N., Morgan, S., Pearson, P., Attalla, M. I., Wardhaugh, L., Yu, H., Allport, A., & Feron, P. H. M. (2009). Post-combustion capture R&D and pilot plant operation in Australia. *Energy Procedia*, 1(1), 1003–1010. <https://doi.org/10.1016/j.egypro.2009.01.133>

- Das, B., Guo, H.-J., Xiong, L., Mandal, B., Modak, A., Pant, K. K., & Chen, X.-D. (2022). Piperazine-activated diethanolamine formulation for post-combustion CO₂ capture. *Journal of Industrial and Engineering Chemistry*. <https://doi.org/10.1016/j.jiec.2022.11.035>
- Davoodi, S., Al-Shargabi, M., Wood, D., Rukavishnikov, V., & Minaev, K. (2023). Review of technological progress in carbon dioxide capture, storage, and utilization. *Gas Science and Engineering*. <https://doi.org/10.1016/j.jgsce.2023.205070>
- Delgado, J. A., Uguina, M. A., Sotelo, J. L., Águeda, V. I., & Sanz, A. (2009). Simulation of CO₂ absorption into aqueous DEA using a hollow fiber membrane contactor: Evaluation of contactor performance. *Chemical Engineering Journal*, 152(2–3), 396–405. <https://doi.org/10.1016/j.cej.2009.04.064>
- deMontigny, D., Tontiwachwuthikul, P., & Chakma, A. (2003). *Carbon dioxide absorption contactors: Hollow fibre membranes and packed absorption columns*. 1583–1586. <https://doi.org/10.1016/B978-008044276-1/50251-8>
- Desideri, U., & Paolucci, A. (1999). Performance modelling of a carbon dioxide removal system for power plants. *Energy Conversion and Management*, 40, 1899–1915. [https://doi.org/10.1016/S0196-8904\(99\)00074-6](https://doi.org/10.1016/S0196-8904(99)00074-6)
- Du, J., Yang, W., Xu, L., Bei, L., Lei, S., Li, W., Liu, H., Wang, B., & Sun, L. (2024). Review on post-combustion CO₂ capture by amine blended solvents and aqueous ammonia. *Chemical Engineering Journal*. <https://doi.org/10.1016/j.cej.2024.150954>
- Gbadago, D., Oh, H., Oh, D., Lee, C.-H., & Oh, M. (2020). CFD simulation of a packed bed industrial absorber with interbed liquid distributors. *International Journal of Greenhouse Gas Control*, 95, 102983. <https://doi.org/10.1016/j.ijggc.2020.102983>
- Glasscock, D., & Rochelle, G. (1989). Numerical simulation of theories for gas absorption with chemical reaction. *Aiche Journal*, 35, 1271–1281. <https://doi.org/10.1002/AIC.690350806>
- Goren, Y., Erdemir, D., & Dincer, I. (2023). Comprehensive review and assessment on carbon capturing methods and technologies: An environmental research. *Environmental Research*, 117503. <https://doi.org/10.1016/j.envres.2023.117503>
- Gür, T. (2022). Carbon Dioxide Emissions, Capture, Storage and Utilization: Review of Materials, Processes and Technologies. *Progress in Energy and Combustion Science*. <https://doi.org/10.1016/j.pecs.2021.100965>
- Han, S.-C., Sung, H., Noh, H.-W., Mazari, S., Moon, J.-H., & Kim, K.-M. (2024). Synergistic effect of blended amines on carbon dioxide absorption: Thermodynamic modeling and analysis of regeneration energy. *Renewable and Sustainable Energy Reviews*. <https://doi.org/10.1016/j.rser.2024.114362>
- Hasan, S., Abbas, A., & Nasr, G. (2020). Improving the Carbon Capture Efficiency for Gas Power Plants through Amine-Based Absorbents. *Sustainability*. <https://doi.org/10.3390/su13010072>

- He, X., He, H., Barzagli, F., Amer, M., Li, C., & Zhang, R. (2023). Analysis of the energy consumption in solvent regeneration processes using binary amine blends for CO₂ capture. *Energy*. <https://doi.org/10.1016/j.energy.2023.126903>
- Hekmatmehr, H., Esmaeili, A., Pourmahdi, M., Atashrouz, S., Abedi, A., Abuswer, M. A., Nedeljković, D., Latifi, M., Farag, S., & Mohaddespour, A. (2024). Carbon capture technologies: A review on technology readiness level. *Fuel*. <https://doi.org/10.1016/j.fuel.2024.130898>
- Hu, J., Liu, J., Yu, J., & Dai, G. (2013). CO₂ absorption into highly concentrated DEA solution flowing over a vertical plate with rectangular windows. *International Journal of Greenhouse Gas Control*, 19, 13–18. <https://doi.org/10.1016/j.ijggc.2013.08.007>
- Ihda, N., & Nisa, F. (2014). *ii MODELING AND SIMULATION OF INDUSTRIAL SCALE CO 2 REMOVAL UNIT WITH BENFIELD PROCESS*. <https://consensus.app/papers/ii-modeling-and-simulation-of-industrial-scale-co-2-removal-ihda-nisa/84f688c7fd395fbf8e0013fcb3ee1ba1/>
- Ihda, N., Nisa, F., & Altway, A. (2019). *Simulasi Unit Stripping CO 2 Dalam Packed Column Skala Industri Dengan Kondisi Non-Isothermal Simulation of Industrial Scale Column CO 2 Stripping Units With Non- Isothermal Conditions*. 14(1), 53–62.
- Im, D., Jung, H.-J., & Lee, J. (2020). Modeling, simulation and optimization of the rotating packed bed (RPB) absorber and stripper for MEA-based carbon capture. *Comput. Chem. Eng.*, 143, 107102. <https://doi.org/10.1016/J.COMPCHEMENG.2020.107102>
- INTAN, M. H. (2015). Studi Kinetika Absorpsi Karbon Dioksida Menggunakan Larutan Diethanolamine (Dea) Berpromotor Glisin. *Chemical Engineering and Processing - Process Intensification*, 4(1), 1–212. <http://www.ncbi.nlm.nih.gov/pubmed/17289255> <http://dx.doi.org/10.1016/j.jclpro.2011.10.008> http://www.uwaba.or.tz/National_Road_Safety_Policy_September_2009.pdf <http://dx.doi.org/10.1016/j.resconrec.2011.03.010> <http://dx.doi.org/10.1016/j.pecs.20>
- Kamkeng, A., Wang, M., Hu, J., Du, W., & Qian, F. (2021). Transformation technologies for CO₂ utilisation: Current status, challenges and future prospects. *Chemical Engineering Journal*, 409, 128138. <https://doi.org/10.1016/j.cej.2020.128138>
- Karimi, F., & Valeh-E-Sheyda, P. (2023). A green amino acid-based solvent blended with diethanolamine solution for CO₂ capture using micro-contactor. *Brazilian Journal of Chemical Engineering*, 41, 221–233. <https://doi.org/10.1007/s43153-023-00348-5>
- Kartohardjono, S., Nata, P. A., Prasetyo, E., & . Y. (2010). Performance of Hollow Fiber Membrane Gas-Liquid Contactors To Absorb CO₂ Using Diethanolamine (Dea) As a Solvent. *MAKARA of Technology Series*, 13(2), 11–16. <https://doi.org/10.7454/mst.v13i2.481>

- Kazemi, S., Ghemi, A., & Tahvildari, K. (2021). Experimental and thermodynamic modeling of CO₂ absorption into aqueous dea and dea+pz blended solutions. *Iranian Journal of Chemistry and Chemical Engineering*, 40(4), 1162–1178. <https://doi.org/10.30492/ijcce.2020.39175>
- Kim, M., Park, S.-H., Lee, D., Lim, S., Park, M., & Lee, J. (2020). Modeling long-time behaviors of industrial multiphase reactors for CO₂ capture using CFD-based compartmental model. *Chemical Engineering Journal*, 395, 125034. <https://doi.org/10.1016/j.cej.2020.125034>
- Knopf, D., & Ammann, M. (2021). Technical note: Adsorption and desorption equilibria from statistical thermodynamics and rates from transition state theory. *Atmospheric Chemistry and Physics*. <https://doi.org/10.5194/acp-21-15725-2021>
- Kopac, T., & Demirel, Y. (2024). Impact of thermodynamics and kinetics on the carbon capture performance of the amine-based CO₂ capture system. *Environmental Science and Pollution Research International*, 31, 39350–39371. <https://doi.org/10.1007/s11356-024-33792-y>
- Kvamsdal, H., Jakobsen, J., & Hoff, K. (2009). Dynamic modeling and simulation of a CO₂ absorber column for post-combustion CO₂ capture. *Chemical Engineering and Processing*, 48, 135–144. <https://doi.org/10.1016/J.CEP.2008.03.002>
- Lackner, K., Brennan, S., Matter, J., Park, A., Wright, A., & Van Der Zwaan, B. (2012). The urgency of the development of CO₂ capture from ambient air. *Proceedings of the National Academy of Sciences*, 109, 13156–13162. <https://doi.org/10.1073/pnas.1108765109>
- Laribi, S., Dubois, L., De Weireld, G., & Thomas, D. (2019). Study of the post-combustion CO₂ capture process by absorption-regeneration using amine solvents applied to cement plant flue gases with high CO₂ contents. *International Journal of Greenhouse Gas Control*. <https://doi.org/10.1016/J.IJGGC.2019.102799>
- Lawal, A., Wang, M., Stephenson, P., & Yeung, H. (2009). Dynamic modelling of CO₂ absorption for post combustion capture in coal-fired power plants. *Fuel*, 88, 2455–2462. <https://doi.org/10.1016/J.FUEL.2008.11.009>
- Lee, J., Kim, J., Kim, H., Lee, K., & Won, W. (2019). A new modeling approach for a CO₂ capture process based on a blended amine solvent. *Journal of Natural Gas Science and Engineering*. <https://doi.org/10.1016/J.JNGSE.2018.11.020>
- Mahmoodi, L., & Darvishi, P. (2017). International Journal of Greenhouse Gas Control Mathematical modeling and optimization of carbon dioxide stripping tower in an industrial ammonia plant. *International Journal of Greenhouse Gas Control*, 58, 42–51. <https://doi.org/10.1016/j.ijggc.2017.01.005>
- Moioli, S., & Pellegrini, L. (2019). Design of a CO₂ Removal Section Treating Very High Flue Gas Flowrates. 74, 859–864. <https://doi.org/10.3303/CET1974144>
- Montañés, R., Flø, N., Dutta, R., Nord, L., & Bolland, O. (2017). Dynamic Process Model Development and Validation with Transient Plant Data Collected from an MEA Test

- Campaign at the CO₂ Technology Center Mongstad. *Energy Procedia*, 114, 1538–1550. <https://doi.org/10.1016/J.EGYPRO.2017.03.1284>
- Mores, P., Scenna, N., & Mussati, S. (2012). A rate based model of a packed column for CO₂ absorption using aqueous monoethanolamine solution. *International Journal of Greenhouse Gas Control*, 6, 21–36. <https://doi.org/10.1016/j.ijggc.2011.10.012>
- Naji, S., & Abd, A. (2019). Sensitivity analysis of using diethanolamine instead of methyldiethanolamine solution for GASCO'S Habshan acid gases removal plant. *Frontiers in Energy*, 1–8. <https://doi.org/10.1007/S11708-019-0622-2>
- Nisa, N., Balqis, N. F., Mukhlis, M. A., Altway, A., & Mahfud, M. (2022). Modeling and Simulation of Carbon Dioxide Gas Reactive Desorption Process with Piperazine Promoted Diethanolamine Solvent in Sieve Tray column. *Bulletin of Chemical Reaction Engineering & Catalysis*. <https://doi.org/10.9767/bcrec.17.4.16245.798-810>
- Nisa, N. I. F., Balqis, N. F., Mukhlis, M. A., Altway, A., & Mahfud, M. (2022). Modeling and Simulation of Carbon Dioxide Gas Reactive Desorption Process with Piperazine Promoted Diethanolamine Solvent in Sieve Tray column. *Bulletin of Chemical Reaction Engineering and Catalysis*, 17(4), 798–810. <https://doi.org/10.9767/bcrec.17.4.16245.798-810>
- Nurkhamidah, S., Altway, A., Airlangga, B., & Emilia, D. P. (2017). Simulation and modeling CO₂ absorption in biogas with DEA promoted K₂CO₃ solution in packed column. *AIP Conference Proceedings*, 1840. <https://doi.org/10.1063/1.4982319>
- Otaraku, I., & Esemuze, F. (2015). Simulation of Loading Capacity of MDEA and DEA for Amine-Based CO₂ Removal Using Hysys. *Journal of Chemical Engineering*, 3, 41. <https://doi.org/10.11648/J.AJCHE.S.2015030201.15>
- Pacheco, M., & Rochelle, G. (1998). Rate-based modeling of reactive absorption of CO₂ and H₂S into aqueous methyldiethanolamine. *Industrial & Engineering Chemistry Research*, 37, 4107–4117. <https://doi.org/10.1021/IE980123G>
- Pudjiastuti, L., Susianto, Altway, A., Ic, M. H., & Arsi, K. (2015). Kinetic study of carbon dioxide absorption into glisin promoted diethanolamine (DEA). *AIP Conference Proceedings*, 1699. <https://doi.org/10.1063/1.4938365>
- Salem, A., & Reyhani, F. (2015). Applied aspects for enhanced CO₂ capture from reformer gas: Comparison between the performance of valve tray absorber and packed column, Part I. *International Journal of Greenhouse Gas Control*, 42, 237–245. <https://doi.org/10.1016/J.IJGGC.2015.07.028>
- Sander, R. (1999). Compilation of Henry ' s Law Constants for Inorganic and Organic Species of Potential Importance in Environmental Chemistry. *Database*, 1(1), 1–107.
- Schumpe, A. (1993). The estimation of gas solubilities in salt solutions. *Chemical Engineering Science*, 48(1), 153–158. [https://doi.org/10.1016/0009-2509\(93\)80291-W](https://doi.org/10.1016/0009-2509(93)80291-W)

- Shirmohammadi, R., Aslani, A., Ghasempour, R., & Romeo, L. (2020). CO₂ Utilization via Integration of an Industrial Post-Combustion Capture Process with a Urea Plant: Process Modelling and Sensitivity Analysis. *Processes*. <https://doi.org/10.3390/PR8091144>
- Smith, K., Lee, A., Mumford, K., Li, S., Indrawan, Thanumurthy, N., Temple, N., Anderson, C., Hooper, B., Kentish, S., & Stevens, G. (2015). Pilot plant results for a precipitating potassium carbonate solvent absorption process promoted with glisin for enhanced CO₂ capture. *Fuel Processing Technology*, 135, 60–65. <https://doi.org/10.1016/J.FUPROC.2014.10.013>
- Thee, H., Nicholas, N. J., Smith, K. H., da Silva, G., Kentish, S. E., & Stevens, G. W. (2014). A kinetic study of CO₂ capture with potassium carbonate solutions promoted with various amino acids: Glisin, sarcosine and proline. *International Journal of Greenhouse Gas Control*, 20, 2120–2222. <https://doi.org/10.1016/j.ijggc.2013.10.027>
- Weisenberger, S., & Schumpe, A. (1996). Estimation of Gas Solubilities in Salt Solutions at Temperatures from 273 K to 363 K. *AIChE Journal*, 42(1), 298–300. <https://doi.org/10.1002/aic.690420130>
- Wilberforce, T., Baroutaji, A., Soudan, B., Al-Alami, A., & Olabi, A. (2019). Outlook of carbon capture technology and challenges. *The Science of the Total Environment*, 657, 56–72. <https://doi.org/10.1016/j.scitotenv.2018.11.424>
- Xu, X., Myers, M. B., Versteeg, F. G., Adam, E., White, C., Crooke, E., & Wood, C. D. (2021). Next generation amino acid technology for CO₂ capture. *Journal of Materials Chemistry A*, 9(3), 1692–1704. <https://doi.org/10.1039/d0ta10583j>
- Y, E., Mha, E.-H., M., M., & M., A. (2022). Absorption of Carbon Dioxide into Glisin Activated Methyl diethanolamine (MDEA) Comparing with Diethanolamine (DEA). *Austin Chemical Engineering*. <https://doi.org/10.26420/austinchemeng.2022.1088>
- Yang, T., Chen, P., Li, B., Nie, B., Zhu, C.-J., & Ye, Q. (2019). Potential safety evaluation method based on temperature variation during gas adsorption and desorption on coal surface. *Safety Science*. <https://doi.org/10.1016/J.SSCI.2018.11.027>
- Yi, F., Zou, H. K., Chu, G. W., Shao, L., & Chen, J. F. (2009). Modeling and experimental studies on absorption of CO₂ by Benfield solution in rotating packed bed. *Chemical Engineering Journal*, 145(3), 377–384. <https://doi.org/10.1016/j.cej.2008.08.004>
- Zhang, F.-Z., Xu, R.-N., He, Y.-F., Fang, X., & Jiang, P.-X. (2022). Analysis and optimization of energy flow in the full chain of carbon dioxide capture and oil % Removal. *Carbon Neutrality*, 1(1). <https://doi.org/10.1007/s43979-022-00031-7>
- Zhang, M., & Guo, Y. (2013). Rate based modeling of absorption and regeneration for CO₂ capture by aqueous ammonia solution. *Applied Energy*, 111, 142–152. <https://doi.org/10.1016/J.APENERGY.2013.04.074>
- Zhao, X., Smith, K., Simioni, M., Tao, W., Kentish, S., Fei, W., & Stevens, G. (2011). Comparison of several packings for CO₂ chemical absorption in a packed column.

International Journal of Greenhouse Gas Control, 5, 1163–1169.
<https://doi.org/10.1016/J.IJGGC.2011.07.006>

Zhu, Y., Zhang, B., Deng, C., Lei, Q., & Chen, H. (2025). Efficient desorption and energy-saving carbon capture using a nonaqueous primary alkanolamine-based biphasic absorbent. *Separation and Purification Technology*, 356.
<https://doi.org/10.1016/j.seppur.2024.129855>

Ziaii, S., Rochelle, G., & Edgar, T. (2009). Dynamic Modeling to Minimize Energy Use for CO₂ Capture in Power Plants by Aqueous Monoethanolamine. *Industrial & Engineering Chemistry Research*, 48, 6105–6111.
<https://doi.org/10.1021/IE801385Q>